

A close-up, high-angle photograph of a dark asphalt road surface. Two prominent yellow markings are visible: a vertical line on the left and a diagonal line on the right. The asphalt has a rough, textured appearance with some small pits and imperfections. In the top right corner, there is a small white arrow pointing to the right. On the right edge, there is a vertical column of five small white dots, with the top one being larger than the others.

# MARKING REMOVALS, ASPHALT & CONCRETE MAINTENANCE

all about lines ...

# Asphalt & Concrete Maintenance

Line marking removals, asphalt & concrete preparation and surface leveling. Choose from 3 highly professional series depending on the job and untreated surface



DIVISION: ROAD



High speed operation



Multiple cutting tools



Add-on counter weights



Speed Control Brake System



Low gravity technology

# ROAD SCARIFIERS

PROGRIND HD


HASPHALT & CONCRETE MAINTENANCE

## PROGRIND HD | LG | LGR

PROGRIND scarifiers cover a large series of surface preparation applications, designed only for professional use due to their heavy-duty structure and high speed cutting technology. Electric or gas, with side loaded cutting drum. Ideal for concrete surfaces, line marking removal, surface preparation & leveling.

## UNIQUE FEATURES

Low gravity technology ideal for leveling surfaces. Brake / speed control system, regulate the speed effortlessly by braking the unit with an easy to work lever brake and lock system





## PROGRIND HD INSIGHTS

- ▷ 8 - 10" (200-250mm) working width
- ▷ Walk-behind scarifier
- ▷ PG controlled
- ▷ HONDA GX engines or electric motor
- ▷ Speed control & brake system
- ▷ Heavy duty structure
- ▷ Add on counter weight kits
- ▷ Multiple wheel kits
- ▷ Vacuum connection for dust free operation
- ▷ Easy side loaded cutting beam
- ▷ Maximum cutting depth 10mm
- ▷ Multiple cutting tools per application
- ▷ Secure lift lever with shock absorber
- ▷ High speed



PROGRIND HD walk-behind scarifiers cover a large series of surface preparation applications, designed only for professional use due to their heavy-duty structure and high speed cutting technology.

Electric or gas, with side loaded cutting drum. Ideal for concrete surfaces, line marking removal, surface preparation & leveling.





### PROGRIND HD 209G

#### PROGRIND MULTIPURPOSE SCARIFIER HD 209 GAS - p/n 11.4430022

Applications: Concrete & Asphalt  
 Type: Walk-Behind  
 Working width (max): 200 mm - 8 in  
 Cutter type: Drum - side loaded  
 Engine: HONDA GX 9.0 hp  
 Engine Start: Pull start  
 Cut Speed: 55 sqm/h - 600 sqf  
 Brake system: Optional  
 Ride along chair PRODRIVE: N/A  
 Water kit: N/A  
 Vacuum connection port: Included  
 Wide bar handle: N/A  
 Dimensions: 96.5 x 48.5 x 106 cm  
 Weight w/o drum + counter weights: 103 kg

### PROGRIND HD 2513 GAS

#### PROGRIND MULTIPURPOSE SCARIFIER HD 2513 GAS - p/n 11.4430024







Applications: Concrete & Asphalt  
 Type: Walk-Behind  
 Working width (max): 250 mm - 10 in  
 Cutter type: Drum - side loaded  
 Engine: HONDA GX 13.0 hp  
 Engine Start: Pull start  
 Cut Speed: 70 sqm/h - 750 sqf  
 Brake system: Optional  
 Ride along chair PRODRIVE: N/A  
 Water kit: Optional  
 Vacuum connection port: Included  
 Wide bar handle: Optional  
 Dimensions: 96.5 x 48.5 x 106 cm  
 Weight w/o drum + counter weights: 118 kg

### PROGRIND HD 258E

#### PROGRIND MULTIPURPOSE SCARIFIER HD 258 ELECTRIC - p/n 11.4430023

Applications: Concrete & Asphalt  
 Type: Walk-Behind  
 Working width (max): 250 mm - 10 in  
 Cutter type: Drum - side loaded  
 Motor: Electric motor 7.5 hp  
 Cut Speed: 65 sqm/h - 700 sqf  
 Brake system: Optional  
 Ride along chair PRODRIVE: N/A  
 Water kit: N/A  
 Vacuum connection port: Included  
 Wide bar handle: N/A  
 Dimensions: 96.5 x 48.5 x 106 cm  
 Weight w/o drum + counter weights: 106 kg

### PROGRIND DRUM CUTTING TOOLS

	Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat	Carbide Tipped Miller	Full Carbide Miller
Cutter Type							
Profile Fine							
Profile Medium							
Profile Course							



## PROGRIND LG INSIGHTS

- ▷ 8 - 10" (200-250mm) working width
- ▷ Walk-behind scarifier
- ▷ PG controlled
- ▷ HONDA GX engines or electric motor
- ▷ Speed control & brake system
- ▷ Heavy duty structure
- ▷ Add on counter weight kits
- ▷ Multiple wheel kits
- ▷ Vacuum connection for dust free operation
- ▷ Easy side loaded cutting beam
- ▷ Maximum cutting depth 10mm
- ▷ Multiple cutting tools per application
- ▷ Secure lift lever with shock absorber
- ▷ High speed



PROGRIND LG scarifiers low gravity design makes these units an ideal solution to industrial flooring contractors that wish to cover high volume leveling applications.

High speed technology, low gravity design & wide width coverage. Perfectly balanced stability & design, ideal for industrial floor preparation with no skidding effect.







### PROGRIND LG 209G

#### PROGRIND LOW GRAVITY SCARIFIER LG 209 GAS - p/n 11.4430025

Applications: Concrete & Asphalt  
 Type: Walk-Behind  
 Working width (max): 200 mm - 8 in  
 Cutter type: Drum - side loaded  
 Engine: HONDA GX 9.0 hp  
 Engine Start: Pull start  
 Cut Speed: 55 sqm/h - 600 sqf  
 Brake system: Optional  
 Ride along chair PRODRIVE: N/A  
 Water kit: Optional  
 Vacuum connection port: Included  
 Wide bar handle: Optional  
 Dimensions: 121 x 55 x 106 cm  
 Weight w/o drum + counter weights: 121 kg

### PROGRIND HD 2513 GAS

#### PROGRIND MULTIPURPOSE SCARIFIER HD 2513 GAS - p/n 11.4430027




Applications: Concrete & Asphalt  
 Type: Walk-Behind  
 Working width (max): 200 mm - 8 in  
 Cutter type: Drum - side loaded  
 Engine: HONDA GX 13.0 hp  
 Engine Start: Pull start / Electric start  
 Cut Speed: 70 sqm/h - 750 sqf  
 Brake system: Optional  
 Ride along chair PRODRIVE: N/A  
 Water kit: Optional  
 Vacuum connection port: Included  
 Wide bar handle: Optional  
 Dimensions: 121 x 55 x 106 cm  
 Weight w/o drum + counter weights: 136 kg

### PROGRIND LG 258E

#### PROGRIND LOW GRAVITY SCARIFIER LG 258 ELECTRIC - p/n 11.4430026

Applications: Concrete & Asphalt  
 Type: Walk-Behind  
 Working width (max): 200 mm - 8 in  
 Cutter type: Drum - side loaded  
 Motor: Electric motor 7.5 hp  
 Cut Speed: 65 sqm/h - 700 sqf  
 Brake system: Optional  
 Ride along chair PRODRIVE: N/A  
 Water kit: Optional  
 Vacuum connection port: Included  
 Wide bar handle: Optional  
 Dimensions: 121 x 55 x 106 cm  
 Weight w/o drum + counter weights: 135 kg

### PROGRIND DRUM CUTTING TOOLS

	Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat	Carbide Tipped Miller	Full Carbide Miller
Cutter Type							
Profile Fine							
Profile Medium							
Profile Course							



## PROGRIND LGR INSIGHTS

- 8 - 10" (200-250mm) working width
- Walk-behind scarifier
- PG controlled
- HONDA GX engines or electric motor
- Speed control & brake system
- Heavy duty structure
- Add on counter weight kits
- Multiple wheel kits
- Vacuum connection for dust free operation
- Easy side loaded cutting beam
- Maximum cutting depth 10mm
- Multiple cutting tools per application
- Secure lift lever with shock absorber
- High speed



PROGRIND LGR scarifiers are designed especially for road applications, a front swivel wheel offers overall maneuverability ideal for large parking lots, long line road removals, construction sites, runways etc.

Attach the PRODRIVE ride along chair for double speed and effortless coating removals.

# PROGRIND LGR SERIES



## PRODRIVE

Attach the PRODRIVE  
Self-Propelled chair  
& enjoy the ride!





## PROGRIND LGR 209G

### PROGRIND LOW GRAVITY ROAD SCARIFIER LGR 209 GAS - p/n 11.4430028

Applications: Concrete & Asphalt  
 Type: Walk-Behind  
 Working width (max): 200 mm - 8 in  
 Cutter type: Drum - side loaded  
 Engine: HONDA GX 9.0 hp  
 Engine Start: Pull start / Electric start  
 Cut Speed: 55 sqm/h - 600 sqf  
 Brake system: Optional  
 Ride along chair PRODRIVE: Optional - double the production speed  
 Water kit: Optional  
 Vacuum connection port: Included  
 Wide bar handle: N/A  
 Dimensions: 150 x 55 x 106 cm  
 Weight w/o drum + counter weights: 127 kg

## PROGRIND LGR 2513G

### PROGRIND LOW GRAVITY ROAD SCARIFIER LGR 2513 GAS - p/n 11.4430029

Applications: Concrete & Asphalt  
 Type: Walk-Behind  
 Working width (max): 250 mm - 10 in  
 Cutter type: Drum - side loaded  
 Engine: HONDA GX 13.0 hp  
 Engine Start: Pull start / Electric start  
 Cut Speed: 75 sqm/h - 800 sqf  
 Brake system: Optional  
 Ride along chair PRODRIVE: Optional  
 Water kit: Optional  
 Vacuum connection port: Included  
 Wide bar handle: N/A  
 Dimensions: 150 x 55 x 106 cm  
 Weight w/o drum + counter weights: 135 kg

indicated by the "International Concrete Repair Institute"



### PROGRIND CUTTING TOOLS



### PROGRIND DRUM CUTTING TOOLS

	Wire Brush	Steel Star	Steel Beam	Carbide Flail	Carbide Flat	Carbide Tipped Miller	Full Carbide Miller
Cutter Type							
Profile Fine							
Profile Medium							
Profile Course							

